

TO THE CONSUMER

FULL ONE YEAR WARRANTY

For one year from date of purchase, APF will repair defects in material or workmanship, free of charge, which appear in the operation of this electronic calculator, unless caused by damage resulting from corrosive leakage of batteries or from the unreasonable use of this product.

To obtain service under this warranty, return this calculator to your Dealer with evidence of date of purchase, or return it directly to APF Service, prepaid, with proof of purchase date.

OUT OF WARRANTY SERVICE. State the nature of your difficulty. As with any fine equipment, pack carefully and forward via insured, prepaid parcel post to:

APF SERVICE CENTER
43-17 Queens St.
Long Island City, N.Y. 11101

APF ELECTRONICS, INCORPORATED
NEW YORK, N.Y. 10022.

589

Printed In Japan
PART NO. 0406151

APF
APF
APF

APF

mark 61S

rechargeable
executive calculator
with 5 key memory
percentage, square root
and fluorescent display
operating instructions

APF ELECTRONICS INC. NEW YORK N.Y. 10022

INTRODUCTION

Modern electronic technology has provided a new tool for use in home, office or school.

Your Electronic Calculator will perform standard Addition, Subtraction, Multiplication and Division in chain or mixed calculations. The addition of a MEMORY register, with full capability to Add to or Subtract from the MEMORY, has made possible calculations of complex problems. In addition to such added features as Automatic Percentage calculations your calculator will automatically store a Constant for all four functions of Addition, Subtraction, Multiplication and Division.

You may work from an internal battery source or, by means of a Charger/A.C. adaptor, from any convenient 110-120 volts A.C. outlet.

To simplify operation, your calculator is programmed for "THINK AND TOUCH"—"THINK" the mathematical sequence and "TOUCH" the appropriate keys as you think—the correct answer instantly appears on the bright, clear eight-digit display. The decimal point automatically moves to the correct position.

SUGGESTED USES

Home

Budgets • Unit Pricing • Stock & Bond Investments
Interest Rate • Check Book Balancing
Clothing Invoices • Grocery Bills • Taxes

Business

Expense Report • Percentage Profit • Cost Analysis
Compound Interest • Payroll • Taxes • Invoicing

School

Check Basic Arithmetic Away From Home
Budget • School • Tuition
Slide Rule Calculations

Convenient, rapid, accurate. You'll find many uses for your Electronic Calculator.

PORTABLE BATTERY OR A.C. OPERATION

- Your Compact Portable Electronic Calculator is made with a sealed Rechargeable battery pack. Under normal use you can expect about 3 to 3.5 hours of calculation time for a fully charged battery.
- When the battery is almost discharged the display will become dim and erratic. To prevent improper calculations the battery must be recharged as soon as possible.


Battery Charging

1. Turn the Power Switch to the OFF position.
 2. Connect the Charger/Adaptor into a convenient source of 110-120 volts A.C.
 3. Firmly push the Charger/Adaptor plug into the rear socket of the calculator.
 4. A full charge will take about 14 hours and is best done overnight.
- **Caution**—To prevent damage to the battery pack and calculator, do not use any charger/adaptor other than Model 751S

AC Operation:

Turn the power switch to the OFF position. Connect the charger/adaptor to a source of 110-120 Volts A.C. and connect the battery plug to the rear socket of the calculator. Then simply turn the power switch on.

NOTE: When disconnecting the charger/adaptor, always disconnect the plug from the calculator first.



KEYS AND SWITCHES

POWER SWITCH—Turns the calculator "ON" or "OFF". A dot will be visible when the switch is in the "ON" position.

NUMERIC KEYS—Standard 1 to 9 keyboard is provided as well as [0] and decimal point [.]

[CE/C] CLEAR ENTRY/CLEAR KEY—This is a multi-function key which will clear the display of the last entry or result on the first push, and clear the calculator of all previous calculations on the second push. During overflow, touching [CE/C] once will clear the overflow symbol and allow further calculations. **NOTE: MEMORY CLEAR MUST BE DONE SEPARATELY.**

[+] [-] [×] [÷] OPERATE KEYS—These keys will perform any previous operation as well as instruct the calculator as to the next operation to be performed.

[=/K] RESULT KEY—At the conclusion of calculation, touching this key will immediately place the answer on the display. In addition this key operates the **AUTOMATIC CONSTANT [K]**. (See section under the calculations with a constant).

MEMORY FUNCTIONS

The memory is a place to store a number for future use.

[M+] — Adds the number on the display to the memory and leaves the display unchanged.

[M-] — Subtracts the number on the display from the memory and leaves the display unchanged.

[MR] — Clears the display and recalls the number from the memory to the display. **Note:** The number also remains in the memory.

[MC] — Clears all numbers from the memory and leaves the display alone.

[X↔M] — Exchanges the contents of the display and memory.

SPECIAL FUNCTIONS

[%] PERCENT KEY — This is a special purpose key used to simplify calculations involving percentage (mark-up, discount, yield) see examples page 12.

[√x] — Computes the square root of the displayed number.

DISPLAY INDICATORS

[-] MINUS SIGN — The minus sign will appear to the left of the most significant digit and will shift in position with additional numbers.

[I] MEMORY INDICATOR — The memory in use indicator will light when any number, except zero, is in the memory.

OVERFLOW— When the result of a calculation is greater than 99999999. or less than -9999999., the capacity of the calculator has been reached. This overflow condition is indicated by a \square and all decimal points being lit. Further calculations are prohibited until [CE/C] is touched once. Then the display shows the answer with the decimal point 8 places to the left of the correct position.

BASIC OPERATING INSTRUCTIONS

Power On

Slide power switch to the right to turn on calculator, touch [CE/C] (Twice) and [MC].

Number Entry

TO ENTER A NUMBER, "TOUCH" THE NUMERIC KEYS IN SEQUENCE.

Example: To enter 12.3

KEY SEQUENCE		DISPLAY
Touch	[CE/C] Twice	0.
Touch	1	1.
Touch	2	12.
Touch	[.]	12.
Touch	3	12.3
	Answer	12.3

TO CLEAR AN INCORRECT ENTRY, USE THE [CE/C] KEY.

Example: To calculate $12 \times 7 = ?$

KEY SEQUENCE		DISPLAY
Touch	[CE/C] Twice	0.
Enter	12	12.
Touch	[x]	12.
In error you enter 8		8.
	"MISTAKE" "MISTAKE"	
Touch	[CE/C]	0.
Enter	7	7.
Touch	[= /K]	84.
	Answer	84.

NOTE: After clearing an entry, do not duplicate the operate function.

DECIMAL POINT—The decimal point in the answer is always floating with a maximum of 7 places.

Example: $12.34 \times 6.78 = ?$

KEY SEQUENCE		DISPLAY
Touch	[CE/C] Twice	0.
Enter	12.34	12.34
Touch	[x]	12.34
Enter	6.78	6.78
Touch	[= /K]	83.6652
	Answer	83.6652

NOTE: The decimal point automatically floated to 4 places.

EXAMPLES OF BASIC FUNCTIONS

NOTE: Touch [CE/C] twice before beginning a calculation.

ADDITION

Example No. 1: to calculate $13.35 + 4.56 = ?$

			Display
A.	Enter	13.35	13.35
B.	Touch	[+]	13.35
C.	Enter	4.56	4.56
D.	Touch	[=/k] answer	17.91

Example No. 2: to calculate $9 + 17 + 32.5 = ?$

			Display
A.	Enter	9	9.
B.	Touch	[+]	9.
C.	Enter	17	17.
D.	Touch	[+]	26.
E.	Enter	32.5	32.5
F.	Touch	[=/k] answer	58.5

NOTE: Each time an operation key [+ , - , × , ÷ , %] is touched, the result of the previous calculation is displayed.

SUBTRACTION

Example No. 1: to calculate $436.14 - 103.9 = ?$

			Display
A.	Enter	436.14	436.14
B.	Touch	[-]	436.14
C.	Enter	103.9	103.9
D.	Touch	[=/k] answer	332.24

Example No. 2: to calculate $183.70 - 341.60 = ?$

			Display
A.	Enter	183.70	183.70
B.	Touch	[-]	183.7
C.	Enter	341.60	341.60
D.	Touch	[=/k] answer	-157.9

NOTE: The answer is a negative number (credit balance).

MULTIPLICATION

Example No. 1: to calculate $31.62 \times 58.6 = ?$

			Display
A.	Enter	31.62	31.62
B.	Touch	[×]	31.62
C.	Enter	58.6	58.6
D.	Touch	[=/k] answer	1852.932

Example No. 1: to calculate $3 \times 1.05 = ?$

			Display
A.	Enter	3	3.
B.	Touch	[×]	3.
C.	Enter	4	4.
D.	Touch	[×]	12.
E.	Enter	1.05	1.05
F.	Touch	[=/k] answer	12.6

DIVISION

Example No. 1: to calculate $196 \div 7 = ?$

			Display
A.	Enter	196	196.
B.	Touch	[÷]	196.
C.	Enter	7	7.
D.	Touch	[=/k] answer	28.

CHAIN CALCULATIONS

Example No. 1: to calculate $15.3 \times 13.7 \div 4 + 19 - 11 = ?$

			Display
A.	Enter	15.3	15.3
B.	Touch	[×]	15.3
C.	Enter	13.7	13.7
D.	Touch	[÷]	209.61
E.	Enter	4	4.
F.	Touch	[+]	52.4025
G.	Enter	19	19.
H.	Touch	[-]	71.4025
I.	Enter	11	11.
J.	Touch	[=/k] answer	60.4025

CONSTANT OPERATION

The calculator provides for automatic constant operation for add, subtract, multiply and divide. This operation is automatic and activated by touching either the +, -, ×, ÷, or =/k keys as shown in the following examples.

REPEAT ADDITION OR SUBTRACTION

If during a calculation, you require adding or subtracting a number repeatedly, simply press the [=/k] key the desired number of times after entering the number.

Example: to calculate $2+4+4+4-3-3=?$

	KEY SEQUENCE	DISPLAY
Touch	[CE/C] Twice	0.
Enter	2	2.
Touch	[+]	2.
Enter	4	4.
Note: You wish to add the number 4 three times		
Touch	[=/K] 3 Times	14.
Touch	[-]	14.
Enter	3	3.
Touch	[=/K] Twice Answer	8.

POWER CALCULATIONS

Example: $9^4 = ?$

	KEY SEQUENCE	DISPLAY
Touch	[CE/C] Twice	0.
Enter	9	9.
Touch	[×]	9.
Touch	[=/K] 3 Times Answer	6561.

RECIPROCAL

To find the reciprocal of a number or calculated answer use the automatic constant. When the number you want to take the reciprocal of is being displayed, simply press [÷], then [=/k] then [=/k].

Example: $\frac{1}{10} = .1$

		Display
Enter	10	10
Touch	[÷] [=/k] [=/k]	0.1

CALCULATIONS USING A CONSTANT

CONSTANT MULTIPLICATION

For multiplication the FIRST number entered is the Constant

example	operation	display
3.72 is a constant		
3.72×15	3.72 [×] 15 [=/k]	55.8
3.72×30	30 [=/k]	111.6
3.72×215	215 [=/k]	799.8

CONSTANT DIVISION

For division the SECOND number entered is the Constant

example	operation	display
12 is a constant		
$48 \div 12$	48 [÷] 12 [=/k]	4.
$180 \div 12$	180 [=/k]	15.
$756 \div 12$	756 [=/k]	63.

CONSTANT ADDITION

For addition the SECOND number is the Constant

example	operation	display
17 is a constant		
$15 + 17$	15 [+] 17 [=/k]	32.
$27.5 + 17$	27.5 [=/k]	44.5
$92.8 + 17$	92.8 [=/k]	109.8

CONSTANT SUBTRACTION

For subtraction the SECOND number entered is the Constant

example	operation	display
25.5 is a constant		
$57 - 25.5$	57 [-] 25.5 [=/k]	31.5
$32 - 25.5$	32 [=/k]	6.5
$12 - 25.5$	12 [=/k]	- 13.5

NOTE: Since the constant operation is automatic do not push the [=/k] key more than once for any operation.

PERCENTAGE CALCULATION %—The percent key is useful for dividing numbers by 100, and in markon-markdown problems, it reduces the number of steps required.

Percentage Calculations

YIELD: You borrow \$5000. How much interest will you pay at 7.75%?

5000 [×] 7.75 [%] 387.5

MARK-UP: Your cost is \$323.00 and you wish to earn 16%.

323 [+] 16 [%] [=/k] 374.68

MARK DOWN (DISCOUNT): Your normal selling price is \$323.00 and you want to discount the item by 16%.

323 [-] 16 [%] [=/k] 271.32

USE OF THE MEMORY

The Memory is a place to store a number for future use. **NOTE:** Always clear the memory [MC] and display ([CE/C] twice) before beginning a new problem.

Sum and Difference of Products and Quotients

Problem: $(78 \times 96) - (41 \times 23) + (40 \div 5) = ?$

Key	Display	Memory
78	78.	0
[×]	78.	0
96	96.	0
[=/k]	7488.	0
[M+]	7488.	7488
41	41.	7488
[×]	41.	7488
23	23.	7488
[=/K]	943.	7488
[M-]	943.	6545
40	40.	6545
[÷]	40.	6545
5	5.	6545
[=/k]	8.	6545
[M+]	8.	6553
[MR]	6553.	Answer 6553

Product of Sum and Difference

Problem: $(12 + 34) \times (98 - 76) = ?$

Key	Display	Memory
12	12.	0
[+]	12.	0
34	34.	0
[=/k]	46.	0
[M+]	46.	46
98	98.	46
[-]	98.	46
76	76.	46
[×]	22.	46
[MR]	46.	46
[=/K] answer	1012.	46

PRACTICAL EXAMPLES

Example 1: Your checkbook has a starting balance of \$86.39. You write checks for \$21.00, \$32.45 and \$14.26, then deposit \$162.26. What is your balance?

ENTER	TOUCH	DISPLAY
	[CE/C] Twice	0.
86.39	[-]	86.39
21.00	[-]	65.39
32.45	[-]	32.94
14.26	[+]	18.68
162.26	[=/K]	Answer 180.94

Example 2: You drive in your automobile 186 miles and use 12.0 gallons of gas. How many miles, to the gallon, did you average? Use $186 \div 12 =$ miles per gallon.

ENTER	TOUCH	DISPLAY
	[CE/C] Twice	0.
186	[÷]	186.
12	[=/K]	Answer 15.5

Example 3: What is the invoice to a customer who buys 12 pieces of 1 item at \$12.37 each and 24 pieces of a second item at \$18.69 each? Include 8% sales tax.

ENTER	TOUCH	DISPLAY	MEMORY	COMMENTS
	[CE/C] twice	0.		Clear display.
	[MC]	0.	0	Clear memory.
12	[x]	12.	0	Total cost
12.37	[=/k]	148.44	0	of item 1.
	[M+]	148.44	148.44	Add to mem-ory.
24	[x]	24	148.44	Total cost
18.69	[=/k]	448.56	148.44	of item 2.
	[M+]	448.56	597.	Total cost
	[MR]	597.	597.	of both items.
	[+]	597.	597.	Plus
8	[%]	47.76	597.	sales tax =
	[=/k]	644.76	597.	Total

EXAMPLE OF OVERFLOW

			Display
4266 × 53125 × 1862 = ?			
A.	Touch	[CE/C] Twice	0.
B.	Enter	4266	4266.
C.	Touch	[X]	4266.
D.	Enter	53125	53125.
E.	Touch	[X]	□ 2.2.6.6.3.1.2.5.

NOTE: A □ and all decimal points lit indicate overflow.

To continue

F.	Touch	[CE/C]	2.2663125
The decimal point is shifted 8 places to the left. The correct answer is 226631250.			
G.	Touch	[X]	2.2663125
H.	Enter	1862	1862.
I.	Touch	[=/K]	4219.8738

Correct answer is 4219.8738 · 10⁸ 421987380000

EXAMPLE OF \sqrt{x}

To calculate $\sqrt{426+86} = ?$

	Display
Enter 426	426.
Touch [+]	426.
Enter 86	86.
Touch [=/K]	512.
Touch \sqrt{x}	Answer 22.627416

METRIC CONVERSION CONSTANTS

From	Multiply by	To
Millimeters	.03937	Inches
Meters	39.37	Inches
Cubic centimeter (cc)	.061025	Cubic inches
Kilometers	.621377	Miles
Liters	.26418	Gallons
Grams	.03527	Ounces
Kilograms	2.2046	Pounds

For reciprocal constants (such as inches to millimeters) use reciprocal of constant as multiplier (1 divided by .03937 = 25.4)

Conversions of temperature

Fahrenheit to Centigrade

Temp. F [-] 32 [x] 5 [÷] 9 = Temp. C.

Temp. C [x] 9 [÷] 5 + 32 = Temp. F.

Example: How many inches is 60 millimeters?

	KEY SEQUENCE	DISPLAY
Touch	[CE/C] Twice	0.
Enter	60	60.
Touch	[x]	60.
Enter	.03937	0.03937
Touch	[=/K]	Answer 2.3622